

Dop: No. 997

1. Codice articolo identificativo del prodotto: **vedi tabella ALLEGATO 1**
2. Denominazione prodotto: **Vaso con alimentazione indipendente  
Vaso con alimentazione integrata**
3. Destinazione d'uso: **igiene personale (PH)**
4. Produttore: **Ceramica Flaminia S.p.A.  
Via Flaminia km 54,630 - 01033 Civita Castellana (Viterbo) Italia  
Tel. 0761 542030 / e-mail: ceramicaflaminia@ceramicaflaminia.it  
Website: www.ceramicaflaminia.it**
5. Nome e indirizzo dell'importatore: **non applicabile**
6. Sistema di verifica della prestazione: **Sistema 4**
7. Riferimento per la dichiarazione: **Ceramica Flaminia S.p.A.**
8. Verifica Tecnica Europea: **non applicabile**
9. Prestazioni dichiarate:

CARATTERISTICHE	PRESTAZIONE	NORMA
Capacità di scarico (CF)	superata	<b>EN 997 : 2018</b>
Prevenzione del riflusso (BP)	superata	
Pulibilità (CA)	superata	
Resistenza al carico (LR)	superata	
Durabilità (DA)	superata	
Sostanze pericolose	Non presenti	
Tenuta d'acqua (WL)	superata	
Affidabilità della valvola (VR)	Non Applicabile	
<b>La prestazione del prodotto dichiarata è riportata nei "Codici di designazione" e nelle "Caratteristiche" dell'ALLEGATO 1</b>		

10. Dichiarazione: **La prestazione del prodotto è conforme alla descrizione del prodotto (punto 1 e 2) e a quanto descritto nella tabella al punto 9. Questa dichiarazione è emessa sotto la responsabilità del produttore identificato al punto 4.**

Ceramica Flaminia S.p.A. - Italy  
Civita Castellana, 16 - 12 - 2025

*Il Presidente*



Dop: No. 997


1. Identification Code product: **See the ANNEX 1**
2. product designation: **WC with independent power supply  
WC with integrated power supply**
3. Intended use: **Personal hygiene (PH)**
4. Manufacturer: **Ceramica Flaminia S.p.A.  
Via Flaminia km 54,630 - 01033 Civita Castellana (Viterbo) Italy  
Tel. 0761 542030 / e-mail: [ceramicaflaminia@ceramicaflaminia.it](mailto:ceramicaflaminia@ceramicaflaminia.it)  
Website: [www.ceramicaflaminia.it](http://www.ceramicaflaminia.it)**
5. Name and address of importer: **not applicable**
6. Performance verification system: **System 4**
7. Refer to the declaration: **Ceramica Flaminia S.p.A.**
8. European Technical Assessment: **not applicable**
9. Declared performance:

FEATURES	PERFORMANCE	REGULATIONS
Capacity of flush (CF)	passed	<b>EN 997 : 2018</b>
Backflow prevention - of foul air (BP)	passed	
Cleanability (CA)	passed	
Load resistance (LR)	passed	
Durability (DA)	passed	
Dangerous substances	not present	
Water tightness (WL)	passed	
Valve reliability (VR)	not applicable	
<b>The declared performance of the product are reported in the "Designation code" and "Features" of ANNEX 1</b>		

10. Declaration: **The product's performance is conform to the description of the product (point 1 and 2) and to the contents of the above chart at point 9. This declaration is issued under the responsibility of the manufacturer identified in the point 4.**

Ceramica Flaminia S.p.A. - Italy  
Civita Castellana, 16 - 12 - 2025

*Il Presidente*



**Dop: No. 997 - ALLEGATO / ANNEX 1**

VASI CON ALIMENTAZIONE INDIPENDENTE / WCS WITH INDEPENDENT POWER SUPPLI

ART.	NOME PRODOTTO PRODUCT NAME	TIPOLOGIA TYPE	MATERIALE MATERIAL	CARATTERISTICHE FEATURES	COD. DESIGNAZIONE DESIGNATION CODE
AP117RG	APP PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP117RGE	APP PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP117G	APP goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP117GE	APP goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP118	APP	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
AP118G	APP goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
AP118GE	APP goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
AP118S	APP gosilent	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
AP113RS	APPSOLUTION PLUS gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP113RSE	APPSOLUTION PLUS gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP113S	APPSOLUTION gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP113SE	APPSOLUTION gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP114RS	APPSOLUTION PLUS gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP114RSE	APPSOLUTION PLUS gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP114S	APPSOLUTION gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP114SE	APPSOLUTION gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP115S	APPSOLUTION gosilent	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
AP115SE	APPSOLUTION gosilent	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
AS117RG	ASTRA PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AS117G	ASTRA goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AS118G	ASTRA goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
BN118G	BONOLA goclean®	wc sospeso / wall hung	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
EF117	EFI	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
EF117R	EFI PLUS	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
EF118	EFI	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
6010	EFI	wc a terra / standing wc	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
6011	EFI	wc a terra / standing wc	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
FG118G	FLAG goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
FU118G	FLUO goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
IO118G	IO 2.0 goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
LK117RG	LINK PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
LK117RGE	LINK PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
LK117G	LINK goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
LK117GE	LINK goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
LK119RG	LINK51 PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
LK119G	LINK51 goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A

ART.	NOME PRODOTTO PRODUCT NAME	TIPOLOGIA TYPE	MATERIALE MATERIAL	CARATTERISTICHE FEATURES	COD. DESIGNAZIONE DESIGNATION CODE
5051/WC	LINK	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
5051/WCG	LINK goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
5051/WCGE	LINK goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
MA117RG	MADRE PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
MA117G	MADRE goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP119	MINIAPP	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
AP119G	MINIAPP goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
5064	MINI LINK	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
5064E	MINI LINK	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
5064G	MINI LINK goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
MN117	MONO'	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
MN117S	MONO' gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
MN117RS	MONO' PLUS gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
MN118	MONO'	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
MN118S	MONO' gosilent	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
NL118G	NILE goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
PY117S	PLAY gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
PY117RS	PLAY PLUS gosilent	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
PY118G	PLAY goclean®	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
PY118S	PLAY gosilent	wc sospeso / wall hung wc	ceramica / ceramic	CF - BP - CA - LR - DA	EN 997 - CL 1 - 5 / A
QK117RG	QUICK PLUS goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
QK117G	QUICK goclean®	wc back to wall	ceramica / ceramic	CF - BP - CA - DA	EN 997 - CL 1 - 5 / A

VASI CON ALIMENTAZIONE INTEGRATA / WCS WITH INTEGRATED POWER SUPPLI

ART.	NOME PRODOTTO PRODUCT NAME	TIPOLOGIA TYPE	MATERIALE MATERIAL	CARATTERISTICHE FEATURES	COD. DESIGNAZIONE DESIGNATION CODE
AP116G +AP39	APP mbl goclean®	wc con cassetta abbinata wc vith cistern	ceramica / ceramic	WL - CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
AP116RG +AP39	APP mbl PLUS goclean®	wc con cassetta abbinata wc vith cistern	ceramica / ceramic	WL - CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
PY116S +AP39	PLAY mbl gosilent	wc con cassetta abbinata wc vith cistern	ceramica / ceramic	WL - CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
PY116RS +AP39	PLAY mbl PLUS gosilent	wc con cassetta abbinata wc vith cistern	ceramica / ceramic	WL - CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
6001+6003	EFI	wc con cassetta abbinata wc vith cistern	ceramica / ceramic	WL - CF - BP - CA - DA	EN 997 - CL 1 - 5 / A
6001+6003	EFI	wc con cassetta abbinata wc vith cistern	ceramica / ceramic	WL - CF - BP - CA - DA	EN 997 - CL 1 - 5 / A

Ceramica Flaminia S.p.A. - Italy  
Civita Castellana, 16 - 12 - 2025

*Il Presidente*

