IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, California 91761-2816 • 909.472.4100 Fax 909.472.4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Effective Date: March 2020 Void After: March 2025*

Product: EPA WaterSense High Efficiency Toilets File No. 12301

Issued To: CERAMICA FLAMINIA S.P.A.

S.S. FLAMINIA KM. 54.600 CIVITA CASTELLANA VT 01033

Italv

Identification: Each fixture shall be marked with the marking requirements of the applicable performance standard. The product packaging

shall bear the EPA-IAPMO WaterSense label.

Characteristics: Gravity feed vitreous china water closets manufactured in compliance to EPA's WaterSense Tank-Type High Efficiency Toilet

Specification that are equipped with an IAPMO R&T listed anti-siphon ballcock and flush valves, and to be installed in

accordance with the manufacturer's instructions.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been

granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

Products are certified to the following standard(s):

EPA WaterSense Specification for Tank-Type Toilets (Version 1.2, dated 2014-06-02)

Chief Technical Service Officer

* This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.



MODELS:

Certification Date	Brand Name	Model Name	Bowl Model Number	Tank Model Number	Tank Brand Name	Flush Type	Full Flush (gpf)	Reduced Flush (gpf)	Flush Mechanism
3/23/2020	FLAMINIA	LINK5051US	LINK5051US	111.335.00.5	GEBERIT	Dual	1.6	0.8	Gravity

IAPMO RESEARCH AND TESTING, INC.

5001 E. Philadelphia Street, Ontario, CA 91761 • Phone (909) 472-4100 • Fax (909) 472-4244 • www.iapmort.org







CERTIFICATE OF LISTING



IAPMO Research and Testing, Inc. is a product certification body in which its product certification system includes inspection and testing of samples taken from the supplier's stock or from the market or a combination of both to verify compliance to the requirements of applicable codes and standards. This activity is coupled with periodic surveillance of the supplier's factory and/or warehouses as well as the assessment of the supplier's Quality Assurance System. This listing is subject to the conditions set forth in the characteristics below and is not to be construed as any recommendation, assurance or guarantee by IAPMO Research and Testing, Inc. of the product acceptance by Authorities Having Jurisdiction.

Issued To:

CERAMICA FLAMINIA S.P.A.

S.S. FLAMINIA KM. 54.600 CIVITA CASTELLANA, VT 01033, Italy

Product:

Water Closets with Dual Flush Feature

Products are in compliance with the following code(s):

Uniform Plumbing Code (UPC®)

National Plumbing Code of Canada

National Standard Plumbing Code

Products are certified to the following standard(s) ASME A112.19.2-2018/CSA B45.1-18 and ASME A112.19.14-2013

File Number: 12017

Effective Date: March 2020

Void After: March 2025*

Chairman, Product Certification Committee



Chief Technical Service Officer

*This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

This listing period is based upon the last date of the month indicated on the Effective Date and Void After Date shown above. Any change in material, manufacturing process, marking or design without having first obtained the approval of the Product Certification Committee, or any evidence of non-compliance with applicable codes and standards or of inferior workmanship, may be deemed sufficient cause for revocation of this listing. Production of or reference to this form for advertising purposes may be made only by specific written permission of IAPMO Research and Testing, Inc. Any alteration of this certificate could be grounds for revocation of the listing. This document shall be reproduced in its entirety.

IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING

C ®

Issued To: CERAMICA FLAMINIA S.P.A. Effective Date: March 2020

File Number: 12017

Product: Water Closets with Dual Flush Feature **Void After:** March 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Identification

Water Closets with Dual Flush Feature shall be marked with the manufacturer's name or registered trademark, or in the case of private labeling, the name of the customer for whom the fixture was manufactured. Markings shall be permanent, legible, and visible after installation.

The model number of close-coupled water closets shall be marked on both the tank and the bowl.

Water closets with Dual Flush Feature shall be marked to identify the average water consumption, expressed in litres and gallons per flush. The litre or gallon value may be stated first, at the manufacturer's option. The product shall be marked with the reduced flush volume and the designation ASME A112.19.14 to signify compliance with this Standard. The location of this mark shall be determined by the manufacturer and is not required to be permanent, but it shall be visible after installation. The label shall be intended for removal by the occupant only, and this shall be so stated on the label.

Gravity flush tanks shall be marked with a water level mark or with the information necessary to determine the water level in the tank needed to deliver the intended flush volume. This mark shall be applied to the ceramic body of the tank, the tank liner, or the flush valve overflow tube. The vertical distance between the water level mark and the lowest point of the tank overflow channel shall not exceed 38 mm (1.5 in).

Water closet tanks shall have a label indicating at least the following:

- (a) the telephone number or contact information of a service department from which end-users can obtain replacement parts;
- (b) the serial or part number of the flush valve seal; and
- (c) information on procuring replacement parts for maintaining the original flush volume.

All packaging shall be marked with the manufacturer's name or registered trademark; or in case of private labeling, the name of the customer for whom the fixture was manufactured and the model number. Packaging shall be marked with the water consumption in gpf and Lpf.

Each fixture shall be marked with the cUPC® certification mark. In the case where the tank and the bowl are sold separately, both shall have the certification mark.

Identification of flush mode options shall be depicted on the actuator. This identification shall be either by graphic display or lettering, or shall be intuitively apparent.

Fixtures that require proprietary (i.e., non-standard) components, e.g., supply fittings, waste fittings, or water closet seats, shall indicate, in the packaging or the accompanying literature, that such components are provided by the manufacturer and shall identify the proper replacement parts.

Fixtures that do not comply with one or more of the dimensional requirements of this Standard shall be marked with an "N" to indicate the non-standard nature of the fixture.

Characteristics:

To be installed in accordance with the manufacturer's instructions, the latest edition of the Uniform Plumbing Code, and the National Plumbing Code of Canada.

Products listed on this certificate have been tested by an IAPMO R&T recognized laboratory. This recognition has been granted based upon the laboratory's compliance to the applicable requirements of ISO/IEC 17025.

IAPMO RESEARCH AND TESTING, INC. CERTIFICATE OF LISTING



Issued To: CERAMICA FLAMINIA S.P.A.

Effective Date: March 2020

File Number: 12017

Product: Water Closets with Dual Flush Feature

Void After: March 2025

This certificate is not evidence of current listing. To verify listing status, visit the IAPMO R&T Product Listing Directory at pld.iapmo.org

Models

Model Number	Description			
LINK5051US	wall hung carrier mount dual flush			