

PY42A Play 42

Countertop basin 42 cm

• without overflow • without tap ledge

Complements: Furniture CUBIKA - depth. 50 cm
 Furniture DENVER
 Filo 60 / 75 structure (FI60SV - FI75SV - FI75SC)
 Line taps basin: ONE - NOKÉ - SI - FOLD - X1 - STIL - LOOK
 Line accessories: TWO - HOOP - FOLD

Technical accessories: Chrome siphon (SIFL/CR) - Telescopic chrome siphon (SIFL066)
 Stop & Go drain (PLSG)
 CERAMIC Stop & Go drain (PLCE)
 Chrome waste with automatic integrated overflow (PLTPCR)
 Waste with automatic integrated overflow and ceramic cover (PLTPCE)


Package dim.

Weight 11.2 kg


Pz. Pallet n° 30

UNI EN 14688 - CL00

Dop-No14688




vista zenitale / zenital view




foro consigliato sul piano Ø140 suggested hole on the top Ø140

vista zenitale / zenital view



vista frontale / frontal view



sezione longitudinale / section

sizes in mm

Please consider a 2% tolerance on indicated measurements

PY52A Play 52

Countertop basin 52 cm

• without overflow • without tap ledge

Complements: Furniture CUBIKA - depth. 50 cm
 Furniture DENVER
 Filo 60 / 75 structure (FI60SV - FI75SV - FI75SC)
 Line taps basin: ONE - NOKÉ - SI - FOLD - X1 - STIL - LOOK
 Line accessories: TWO - HOOP - FOLD



Technical accessories: Chrome siphon (SIFL/CR) - Telescopic chrome siphon (SIFL066)
 Stop & Go drain (PLSG)
 CERAMIC Stop & Go drain (PLCE)
 Chrome waste with automatic integrated overflow (PLTPCR)
 Waste with automatic integrated overflow and ceramic cover (PLTPCE)

Package dim.

Weight **12.8 kg**

Pz. Pallet n° **18**

CE UNI EN 14688 - CL00 Dop-No14688



PY62A Play 62

Countertop basin 62 cm

• without overflow • without tap ledge

Complements: Furniture CUBIKA - depth. 50 cm
 Furniture DENVER
 Filo 75 structure (F175SV - F175SC)
 Line taps basin: ONE - NOKÉ - SI - FOLD - X1 - STIL - LOOK
 Line accessories: TWO - HOOP - FOLD

Technical accessories: Chrome siphon (SIFL/CR) - Telescopic chrome siphon (SIFL066)
 Stop & Go drain (PLSG)
 CERAMIC Stop & Go drain (PLCE)
 Chrome waste with automatic integrated overflow (PLTPCR)
 Waste with automatic integrated overflow and ceramic cover (PLTPCE)



Package dim.

Weight 15,4 kg

Pz. Pallet n° 15

UNI EN 14688 - CL00

Dop-No14688



sizes in mm

Please consider a 2% tolerance on indicated measurements

PY170V Play 170

Freestanding bath-tub 170 cm - drain cover matching color the bathtub (drainage system art. SIFVA4 included)
 • with overflow

Complements: **Line taps bath-tub:** ONE - NOKÉ - SI - FOLD - X1 - STIL - LOOK
Line accessories: TWO - HOOP - FOLD - STIL



Dim. Imballo



Peso - kg

Pz. Palet n° 1

UNI EN 14516 - CL1


Dop-No14516

Preinstallazione - Preinstallation




vista zenitale / zenital view


SOLID SURFACE	GLOSSY GELCOAT
Peso Netto Net Weight = 113 Kg	Peso Netto Net Weight = 135 Kg
Peso Lordo Gross Weight = 148 Kg	Peso Lordo Gross Weight = 170 Kg
Capacità Max / Max Capacity = 310 L	




vista frontale / frontal view



sezione laterale / section



vista laterale / lateral view



sezione longitudinale / section

sizes in mm

Please consider a 2% tolerance on indicated measurements

PY118S

Wall hung wc with gosilent system

(fixing kit art. 9008 and reduced flow rate art. RIDFLUGOS included)

Complements: **SLIM** soft-closing thermosetting seat&cover (PYCW05)
 Wrapping soft-closing thermosetting seat&cover (PYCW07)
 Line accessories: TWO - HOOP - FOLD

Technical accessories: **Universal fixing bracket for wall hung wc/bidet (41/P)**

Package dim.

Weight 21,8 kg


Pz. Pallet n° 18

UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



vista laterale / lateral view



sezione longitudinale / section



vista retro / back view

PY118G

Wall hung wc with goclean system

(fixing kit art. 9008 included)

Complements: **SLIM** soft-closing thermosetting seat&cover (PYCW05)
 Wrapping soft-closing thermosetting seat&cover (PYCW07)
 Line accessories: TWO - HOOP - FOLD

Technical accessories: **Universal fixing bracket for wall hung wc/bidet (41/P)**

Package dim.

Weight 21,8 kg


Pz. Pallet n° 18

UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



vista laterale / lateral view



sezione longitudinale / section



vista retro / back view

sizes in mm

Please consider a 2% tolerance on indicated measurements

PY218

Wall hung single-hole bidet (fixing kit included art. 9008)

• with overflow • without tap hole on demand

Complements: **Line taps bidet:** ONE - NOKÉ - SI - FOLD - X1 - STIL - LOOK
Line accessories: TWO - HOOP - FOLD


Technical accessories: **Universal fixing bracket for wall hung wc/bidet (41/P)**
Short chrome siphon for bidet (SIFB/CR)
Stop & Go drain (PLSG)
CERAMIC Stop & Go drain (PLCE)
Two piece set chrome tap filters (RF026)

Package dim.


Weight **19 kg**

Pz. Pallet n° **18**


UNI EN 14528 - CL20 Dop-No14528



vista zenitale / zenital view




vista laterale / lateral view



sezione longitudinale / section



art. 9008
 kit di fissaggio
 Fischer (in dotazione)
 Fischer fixing kit
 (included in the box)



vista retro / back view

KITPY116S

KIT vaso monoblocco completo composto da: vaso monoblocco gosilent con scarico S/P (art. PY116RS), connessioni (art. LK5018), cassetta in ceramica (art. AP39), batteria (art. MBBO) e coprivaso (art. PYCW07).


Complementi: Accessori linea TWO - HOOP - FOLD - STIL

Dim. Imballo vaso	cm	Peso	34 kg	Pz. Pallet n°	18
Dim. Imballo cassetta	cm	Peso	14 kg	Pz. Pallet n°	36


UNI EN 997

Dop-No997


pag. 1/2



vista zenitale / zenital view



vista laterale / lateral view



vista frontale / frontal view

ATTENZIONE: fissaggio a pavimento tramite silicone



dimensioni in mm

Le misure dimensionali riportate hanno una tolleranza del 2%

KITPY116S

KIT vaso monoblocco completo composto da: vaso monoblocco gosilent con scarico S/P (art. PY116RS), connessioni (art. LK5018), cassetta in ceramica (art. AP39), batteria (art. MBBO) e coprivaso (art. PYCW07).

Complementi: Accessori linea TWO - HOOP - FOLD - STIL


Dim. Imballo vaso	cm	Peso	34 kg	Pz. Pallet n°	18
Dim. Imballo cassetta	cm	Peso	14 kg	Pz. Pallet n°	36




CE UNI EN 997

Dop-No997

pag. 2/2



vista zenitale / zenital view



ATTENZIONE: fissaggio a pavimento tramite silicone



dimensioni in mm

Le misure dimensionali riportate hanno una tolleranza del 2%

PY116RS + AP39

Monoblock wc Plus* gosilent with s/p trap + cistern suitable for monoblock wc


* **WARNING:** bends and connectors are on demand

Complements: Wrapping soft-closing thermosetting seat&cover (PYCW07)
Line accessories: TWO - HOOP - FOLD


Technical accessories:
*Kit suitable for wall trap H 230 mm (LKR00)
*Kit suitable for floor trap from 50 to 180 mm (LK5018)
*Kit suitable for floor trap from 180 to 240 mm (LK2022)
*Kit suitable for floor trap from 240 to 380 mm (LK2438)
OLI double flushing system (MBBO)

Package dim. wc	Weight 33 kg	Pz. Pallet n° 18
-----------------	--------------	------------------


Package dim. cistern	Weight 14 kg	Pz. Pallet n° 36
----------------------	--------------	------------------



Dop-No997




vista zenitale / zenital view



sezione longitudinale / section

sezione longitudinale / section




vista frontale / front view

sizes in mm

Please consider a 2% tolerance on indicated measurements


KIT SUITABLE FOR WALL TRAP

LKR00 (SET: LKR00)




KIT SUITABLE FOR FLOOR TRAP

LK5018 (SET: TR38CON+LKR40)




da/ from 50 a/ to 180 mm

LK2022 (SET: LKRS+LKR40)



da/ from 180 a/ to 240 mm

LK2438 (SET: TR38CON+LKR33)



da/ from 240 a/ to 380* mm

ATTENTION: THE DRAINAGE CONNECTORS ARE NOT INCLUDED

PY117S

Back to wall wc with gosilent system and S/P trap

(drainage connectors art. LK1012 and reduced flow rate art. RIDFLUGOS included)

Complements: **SLIM** soft-closing thermosetting seat&cover (PYCW05)
 Wrapping soft-closing thermosetting seat&cover (PYCW07)
 Niagara monoblock cistern (TR38)
 Line accessories: TWO - HOOP - FOLD

Package dim.

Weight **30,7 kg**


Pz. Pallet n° **15**

CE UNI EN 997


Dop-No997




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks




vista zenitale / zenital view



vista laterale / lateral view




vista retro / back view



da/from 100 a/to 120 mm

sezione longitudinale / section

art. LK1012 (LKR90+LKR40)
 connessioni di scarico
 (in dotazione)
 drainage connector
 (included in the box)



sezione longitudinale / section

NOTICE: floor fixing by silicone



PY117RS

Back to wall wc PLUS* gosilent (reduced flow rate art. RIDFLUGOS included)

* WARNING: bends and connectors are on demand

Complements: SLIM soft-closing thermosetting seat&cover (PYCW05)
Wrapping soft-closing thermosetting seat&cover (PYCW07)

Technical accessories:

- *Kit suitable for wall trap H 230 mm (LKR00)
- *Kit suitable for floor trap from 50 to 80 mm (LKR90)
- *Kit suitable for floor trap from 80 to 100 mm (LKR010)
- *Kit suitable for floor trap from 100 to 120 mm (LKR1012)
- *Kit suitable for floor trap from 120 to 140 mm (LKR1214)
- *Kit suitable for floor trap from 140 to 160 mm (LKR1416)
- *Kit suitable for floor trap from 160 to 180 mm (LKR18RS)
- *Kit suitable for floor trap from 180 to 200 mm (LKR1820)
- *Kit suitable for floor trap from 200 to 220 mm (LKR2022)
- *Kit suitable for floor trap from 220 to 350 mm (LKR2233)

Package dim.

Weight 30 kg

Pz. Pallet n° 15


UNI EN 997

Dop-No997


pag. 1/2




Flaminia does not recommend combining this toilet model with rapid-flow/flushometer systems or traditional high tanks



vista zenitale / zenital view




vista laterale / lateral view




vista retro / back view

SCARICO A PARETE
PREDISPOSTO PER WC SOSPESO
WALL DISCHARGE ARRANGEMENT
FOR WALL-HUNG WC



sezione longitudinale / section

SCARICO A PAVIMENTO
PREDISPOSTO DA 5 A 35 CM
ARRANGEMENT DISCHARGE
TO FLOOR FROM 5 TO 35 CM



da/from 50 a/to 350 mm

sezione longitudinale / section


connessioni di scarico da acquistare separatamente
drainage connector to be purchased separately

NOTICE: floor fixing by silicone




KIT SUITABLE FOR WALL TRAP

LKR00 (SET: LKR00)




KIT SUITABLE FOR FLOOR TRAP

LKR90 (SET: LKR90)




da/ from 50 a/ to 80 mm

LK8010 (SET: LKR90+LKR20)




da/ from 80 a/ to 100 mm

LK1012 (SET: LKR90+LKR40)




da/ from 100 a/ to 120 mm

LK1214 (SET: LKRS+LKR40)




da/ from 120 a/ to 140 mm

LK1416 (SET: LKRS+LKR20)




da/ from 140 a/ to 160 mm

LKRS (SET: LKRS)




da/ from 160 a/ to 180 mm

LK1820 (SET: LKRS+LKR20)




da/ from 180 a/ to 200 mm

LK2022 (SET: LKRS+LKR40)



da/ from 200 a/ to 220 mm

LK2233 (SET: LKR90+LKR33)



da/ from 220 a/ to 350* mm

ATTENTION: THE DRAINAGE CONNECTORS ARE NOT INCLUDED

PY217

Back to wall single-hole bidet

• with overflow • without tap hole on demand

Complements: **Niagara panel bidet (TR40)**
Line taps bidet: ONE - NOKÉ - SI - FOLD - X1 - STIL - LOOK
Line accessories: TWO - HOOP - FOLD


Technical accessories:
Short chrome siphon for bidet (SIFB/CR)
Stop & Go drain (PLSG)
Stop&Go CERAMIC drain (PLCE)
Two piece set chrome tap filters (RF026)

Package dim.


Weight **27 kg**

Pz. Pallet n° **15**


CE UNI EN 14528 - CL20 Dop-No14528




vista zenitale / zenital view



vista laterale / lateral view



sezione longitudinale / section



misura consigliata per nuovo impianto recommended size for new system

vista retro / back view

NOTICE: floor fixing by silicone



sizes in mm

Please consider a 2% tolerance on indicated measurements

PYCW05


SLIM Soft-closing thermosetting seat&cover with **quick-release hinges**

Complements: **Wall hung wc Play gosilent** (PY118S - PY118G)
Back to wall wc Play gosilent (PY117S - PY117RS)


Package dim.

Weight 2,2 kg


Pz. Pallet n° -




art. PY117S - PY117RS
vista zenitale / zenital view



art. PY118S
vista zenitale / zenital view



art. PY117S - PY117RS
vista laterale / lateral view



art. PY118S
vista laterale / lateral view

sizes in mm

PYCW07


Wrapping soft-closing thermosetting seat&cover with **quick-release hinges**

Complements: **Wall hung wc Play gosilent** (PY118S - PY118G)
Back to wall wc Play gosilent (PY117S - PY117RS)
Monoblock wc Play gosilent (PY116S - PY116RS)


Package dim.

Weight **3,2 kg**


Pz. Pallet n° -




art. KITPY116S - PY116RS
vista zenitale / zenital view




art. PY117S - PY117RS
vista zenitale / zenital view




art. PY118S
vista zenitale / zenital view



art. KITPY116S - PY116RS
vista laterale / lateral view



art. PY117S - PY117RS
vista laterale / lateral view



art. PY118S
vista laterale / lateral view